

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Sherry Leonard et al.

Serial No.: 10/723,940 Group No.: 1649

Filed: 11/26/2003 Examiner: Standley, S.H. Entitled: Promoter Variants of the Alpha-7 Nicotinic Acetylcholine Receptor

INFORMATION DISCLOSURE STATEMENT

MS Amendment

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

CERTIFICATE OF MAILING UNDER 37 C.F.R. § 1.8(a)(1)(i)(A)

I hereby certify that this correspondence (along with any referred to as being attached or enclosed) is, on the date shown below, being deposited with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: March 7, 2006

Christine A. Lekuti

Dear Sir:

The citations listed below, may be material to the examination of the above-identified application, and are therefore submitted in compliance with the duty of disclosure defined in 37 C.F.R. § 1.56 and § 1.97. The Examiner is requested to make these citations of official record in this application.

Copies of the references listed as 1-14 on the enclosed PTO-1449 are **not** provided as Applicants are no longer required to provide copies of U.S. patents and published applications. In addition, copies of the citations listed as references 15-189 and 192-208 on the enclosed PTO-1449 are **not** provided since they were previously submitted to the Office in the earlier U.S. Application No. 08/956,518, filed on October 23, 1997 (Our File No. VARD-03042), to which priority is claimed. In particular, the citations listed as references 15-189 and 192-208 on the attached PTO-1449 were supplied to the Office in an Information Disclosure Statement (IDS) dated April 2, 1999 (and again in an IDS dated May 13, 2002).

The following printed publications are referred to in the body of the specification:

• U.S. Patent No. 4,650,764 to Temin et al. (1987);

- U.S. Patent No. 4,683,195 to Mullis (1987);
- U.S. Patent No. 4,683,202 to Mullis (1987);
- U.S. Patent No. 4,861,719 to Miller (1989);
- U.S. Patent No. 4,946,778 to Ladner et al. (1990);
- U.S. Patent No. 4,965,188 to Mullis (1990);
- U.S. Patent No. 4,980,289 to Temin *et al.* (1990);
- U.S. Patent No. 5,124,263 to Temin et al. (1992);
- U.S. Patent No. 5,322,770 to Gelfand (1994);
- U.S. Patent No. 5,399,346 to Anderson et al. (1995);
- U.S. Patent No. 5,459,127 to Felgner *et al.* (1995);
- U.S. Patent No. 5,580,859 to Felgner *et al.* (1996)
- U.S. Patent No. 5,589,466 to Felgner *et al.* (1996);
- European Patent No. EP 0178220 (1986):
- European Published Application No. EP 0453243 (1991);
- WIPO Publication No. WO 89/07150 (1989);
- WIPO Publication No. WO 90/02806 (1990);
- WIPO Publication No. WO 90/13678 (1990);
- WIPO Publication No. WO 92/05263 (1992);
- WIPO Publication No. WO 93/03367 (1993);
- WIPO Publication No. WO 94/21807 (1994);
- WIPO Publication No. WO 94/26914 (1994):
- WIPO Publication No. WO 95/02697 (1995):
- WIPO Publication No. WO 95/07358 (1995):
- WIPO Publication No. WO 95/18863 (1995);
- WIPO Publication No. WO 95/21931 (1995);
- WIPO Publication No. WO 96/15244 (1996);
- WIPO Publication No. WO 96/17823 (1996);
- WIPO Publication No. WO 96/25508 (1996);
- Adler et al., "Normalization by Nicotine of Deficient Auditory Sensory Gating in the Relatives of Schizophrenics," Biol. Psych. 32: 607-616 (1992);

- Adler et al., "Normalization of Auditory Physiology by Cigarette Smoking in Schizophrenic Patients," Am. J. Psychol. 150: 1856-1861 (1993);
- Adler et al., "Neurophysiological Studies of Sensory Gating in Rats: Effects of Amphetamine, Phencyclidine, and Haloperidol," Biol. Psychiat. 21: 787-798 (1986);
- Adler *et al.*, "Neurophysiological Evidence for a Defect in Neuronal Mechanisms Involved in Sensory Gating in Schizophrenia," *Biol. Psychiat.* 17: 639-654 (1982);
- Albertsen et al., "Construction and characterization of a yeast artificial chromosome library containing seven haploid human genome equivalents," Proc. Natl. Acad. Sci. 87: 4256-4260 (1990);
- Alkondon and Albuquerque, "Diversity of Nicotinic Acetylcholine Receptors in Rat Hippocampal Neurons. I. Pharmacological and Functional Evidence for District Structural Subtypes," J. Pharm. Ex. Ther. 265: 1455-1473 (1993);
- Amar et al., "Agonist pharmacology of the neuronal α7 nicotinic receptor expressed in Xenopus oocytes," FEBS 327: 284-288 (1993);
- Anderson and Young, "Quantitative Filter Hybridization," in *Nucleic Acid Hybridization A Practical Approach*, Hames and Higgins (eds.), pp. 73-109, IRL
 Press (1985);
- Barnes, "PCR Amplification of up to 35-kb DNA with high fidelity and high yield from λ bacteriophage templates," *Proc. Natl. Acad. Sci. U.S.A.* 91: 2216-2220 (1994);
- Beard et al., "Transcription Mapping of Mouse Adenovirus Type 1 Early Region 3,"
 Virology, pp. 75-81 (1990);
- Beeson *et al.*, "The human muscle nicotinic acetylcholine receptor α-subunit exists as two isoforms: a novel exon," *EMBO J.* 9: 2101-2106 (1990);
- Bender et al., "Evidence that the Packaging Signal of Moloney Murine Leukemia Virus Extends into the gag Region," J. Virol. 61: 1639-1646 (1987);
- Bernstein et al., "Gene Transfer with Retrovirus Vectors," Genet. Eng. 7: 235-261 (1985);
- Bessis et al., "Negative regulatory elements upstream of a novel exon of the neuronal nicotinic acetylcholine receptor of α2 subunit gene," Nucl. Acids Res. 21: 2185-2192 (1993);

- Bickford-Wimer et al., "Auditory Sensory Gating in Hippocampal Neurons: A Model System in the Rat," Biol. Psychiat. 27: 183-192 (1990);
- Bickford and Wear, "Restoration of sensory gating of auditory evoked response by nicotine in fimbria-fornix lesioned rats," *Brain Res.* 705: 235-240 (1995);
- Biedler *et al.*, "Multiple Neurotransmitter Synthesis by Human Neuroblastoma Cell. Lines and Clones," *Cancer Res.* 38: 3751-3757 (1978);
- Blount and Merlie, "Mutational Analysis of Muscle Nicotinic Acetylcholine Receptor Subunit Assembly," J. Cell Biol. 111: 2613-2622 (1990);
- Boshart *et al.*, "A Very Strong Enhancer is Located Upstream of an Immediate Early Gene of Human Cytomegalovirus," *Cell* 41:521-530 (1985);
- Boutros and Overall, "Replication and Extension of P50 Findings in Schizophrenia,"
 Clin. Electroencephalog. 22: 40-45 (1991);
- Braff et al., "Gating and Habituation of the Startle Reflex in Schizophrenic Patients," Arch. Gen. Psychiat. 49: 206-215 (1992);
- Breier et al., "National Institute of Mental Health Longitudinal Study of Chronic Schizophrenia, Prognosis and Predictors of Outcome," Arch. Gen. Psychiat., 48: 239-246 (1991);
- Brownstein *et al.*, "Isolation of Single-Copy Human Genes from a Library of Yeast Artificial Chromosome Clones," *Science* 244: 1348-1351 (1989);
- Burke *et al.*, "Cloning of Large Segments of Exogenous DNA into Yeast by Means of Artificial Chromosome Vectors," *Science* 236: 806-812 (1987);
- Calzolari et al., "Psychiatric Disorder in a Familial 15;18 Translocation and Sublocalization of Myelin Basic Protein to 18q22.3," Am. J. Med. Genet. 67: 154-161 (1996);
- Cameron et al., "Dendritic Cells Exposed to Human Immunodeficiency Virus Type-1
 Transmit a Vigorous Cytophathic Infection to CD4⁺ T Cells," Science 257: 383-387
 (1992);
- Casaubon et al., "The Gene Responsible for a Severe Form of Peripheral Neuropathy and Agenesis of the Corpus Callosum Maps to Chromosome 15q," Am. J. Hum. Genet. 58: 28-34 (1996);

- Chamberlin *et al.*, "New RNA Polymerase from *Escherichia coli* infected with Bacteriophage T7," *Nature* 228:227-231 (1970);
- Chomczynski and Sacchi, "Single-Step Method of RNA Isolation by Acid Guanidinium Thiocyanate-Phenol-Chloroform Extraction," *Anal. Biochem.* 162: 156-159 (1987);
- Chumakov *et al.*, "Continuum of overlapping clones spanning the entire human chromosome 21q," *Nature* 359: 380-386 (1992);
- Clarke, "Prader-Willi Syndrome and Psychoses," *Brit. J. Psychiat.* 163: 680-684 (1993);
- Cole *et al.*, "The EBV-Hybridoma Technique and its Application to Human Lung Cancer," in *Monoclonal Antibodies and Cancer Therapy*, Reisfeld *et al.* (eds.), pp. 77-96, Alan R. Liss, Inc. (1985);
- Conti-Tronconi et al., "Brain and muscle nicotinic acetylcholine receptors are different but homologous proteins," Proc. Natl. Acad. Sci. U.S.A. 82: 5208-5212 (1985);
- Coon et al., "Search for Mutations in the β1 GABA_A Receptor Subunit Gene in Patients with Schizophrenia," Am. J. Med. Genet. 54: 12-20 (1994);
- Coon et al., "Use of a Neurophysiological Trait in Linkage Analysis of Schizophrenia," Biol. Psychiat. 34: 277-289 (1993);
- Cooper *et al.*, "Pentameric structure and subunit stoichiometry of a neuronal nicotinic acetylcholine receptor," *Nature* 350: 235-238 (1991);
- Cote *et al.*, "Generation of human monoclonal antibodies reactive with cellular antigens," *Proc. Natl. Acad. Sci. U.S.A.* 80: 2026-2030 (1983);
- Couturier et al., "A Neuronal Nicotinic Acetylcholine Receptor Subunit (α7) Is
 Developmentally Regulated and Forms a Homo-Oligomeric Channel Blocked by α-BTX," Neuron 5: 847-856 (1990);
- Cullum *et al.*, "Neurophysiological and neuropsychological evidence for attentional dysfunction in schizophrenia," *Schizophrenia Res.* 10: 131-141 (1993);
- Curiel et al., "High-Efficiency Gene Transfer Mediated by Adenovirus Coupled to DNA-Polylysine Complexes," Hum. Gene Ther. 3: 147-154 (1992);

- De Amicis et al., "Reaction Time Crossover as a Marker of Schizophrenia and of Higher Functioning," J. Nerv. Ment. Dis. 174: 177-179 (1986);
- deLeon et al., "Schizophrenia and Smoking: An Epidemiological Survey in a State Hospital," Am. J. Psychiat. 152: 453-455 (1995);
- Den-Dunnen et al., "Topography of the Duchenne Muscular Dystrophy (DMD) Gene:
 FIGE and cDNA Analysis of 194 Cases Reveals 115 Deletions and 13 Duplications,"
 Am. J. Hum. Genet. 45: 835-847 (1989);
- Deneris et al., "Genes Encoding Neuronal Nicotinic Acεtylcholine Receptors," Clin.
 Chem. 35: 731-737 (1989);
- Dijkema *et al.*, "Cloning and expression of the chromosomal immune interferon gene of the rat," *EMBO J.* 4:761-767 (1985);
- Dominguez del Toro et al., "Immunocytochemical Localization of the α7 Subunit of the Nicotinic Acetylcholine Receptor in the Rat Central Nervous System," J. Comp. Neurol. 349: 325-342 (1994);
- Dracopoli et al., Current Protocols in Human Genetics, John Wiley & Sons, Inc.,
 New York, New York (1994) not provided;
- Eaton, "Epidemiology of Schizophrenia," Epidemiol. Rev. 7: 105-126 (1985);
- Elgoyhen et al., "α9: An Acetylcholine Receptor with Novel Pharmacological Properties Expressed in Rat Cochlear Hair Cells," Cell 79: 705-715 (1994);
- Erlich (ed.), *PCR Technology*, Stockton Press (1989);
- Endicott and Spitzer, "A Diagnostic Interview, The Schedule for Affective Disorders and Schizophrenia," *Arch. Gen. Psychiat.* 35: 837-844 (1978);
- Erwin et al., "Midlatency Auditory Evoked Responses in Schizophrenia," Biol.
 Psychiat. 30: 430-442 (1991);
- Felgner and Ringold, "Cationic liposome-mediated transfection," *Nature* 337: 387-388 (1989);
- Felgner *et al.*, "Lipofection: A highly efficient, lipid-mediated DNA-transfection procedure," *Proc. Natl. Acad. Sci. U.S.A.* 84: 7413-7417 (1987);

- Freedman et al., "α-Bungarotoxin Binding to Hippocampal Interneurons:
 Immunocytochemical Characterization and Effects on Growth Factor Expression," J.
 Neurosci. 13: 1965-1975 (1993);
- Freedman *et al.*, "Elementary neuronal dysfunctions in schizophrenia," *Schiz. Res.* 4: 233-243 (1991);
- Freedman et al., "Schizophrenia and Nicotinic Receptors," Harvard Rev. Psychiat. 2: 179-192 (1994);
- Freedman et al., "Evidence in Postmortem Brain Tissue for Decreased Numbers in Hippocampal Nicotinic Receptors in Schizophrenia," Biol. Psychiat. 38: 22-33 (1995);
- Frohman, Amplifications 5: 11 (1990) not provided;
- Galzi et al., "Functional Architecture of the Nicotinic Acetylcholine Receptor: From Electric Organ to Brain," Ann. Rev. Pharmacol. 31: 37-72 (1991);
- Goff et al., "Cigarette Smoking in Schizophrenia: Relationship to Psychopathology and Medication Side Effects," Am. J. Psychiat. 149: 1189-1194 (1992);
- Goff et al., "Neural Origins of Long Latency Evoked Potentials Recorded from the Depth and from the Cortical Surface of the Brain in Man," Prog. Clin. Neurophysiol. 7: 126-145 (1980);
- Goldman et al., "Members of a Nicotinic Acetylcholine Receptor Gene Family Are
 Expressed in Different Regions of the Mammalian Central Nervous System," Cell 48:
 965-973 (1987);
- Gorman et al., "The Rous sarcoma virus long terminal repeat is a strong promoter when introduced into a variety of eukaryotic cells by DNA-mediated transfection," Proc. Natl. Acad. Sci. USA 79: 6777-6781 (1982);
- Graham and van der Eb, "A New Technique for the Assay of Infectivity of Human Adenovirus 5 DNA," *Virology* 52: 456-467 (1973);
- Green, "Biochemical Mechanisms of Constitutive and Regulated Pre-mRNA Splicing," Ann. Rev. Cell. Biol. 7: 559-599 (1991);

- Griffith et al., "Effects of sound intensity on a midlatency evoked response to repeated auditory stimuli in schizophrenic and normal subjects," Psychophysiology 32: 460-466 (1995);
- Hamera et al., "Alcohol, Cannabis, Nicotine, and Caffeine Use and Symptom Distress in Schizophrenia," J. Nerv. Mental Dis. 183: 559-565 (1995);
- Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York;
- Hershman *et al.*, "GABA_B antagonists diminish the inhibitory gating of auditory response in the rat hippocampus," *Neurosci. Lett.* 190: 133-136 (1995);
- Holzman et al., "A Single Dominant Gene Can Account for Eye Tracking
 Dysfunctions and Schizophrenia in Offspring of Discordant Twins," Arch. Gen.

 Psychiat. 45: 641-647 (1988);
- Hu and Worton, "Partial Gene Duplication as a Cause of Human Disease," Hum.
 Mutat. 1: 3-12 (1992);
- Huse *et al.*, "Generation of a Large Combinatorial Library of the Immunoglobulin Repertoire in Phage Lambda," *Science* 246: 1275-1281 (1989);
- Hyman, "Schizophrenia," in *Scientific American Medicine*, 13 VII: 1-5, Dale and Federman (eds.), New York, New York (1994);
- Judd et al., "Sensory Gating Deficits in Schizophrenia: New Results," Am. J.
 Psychiat. 149: 488-493 (1992);
- Kacian et al., "A Replicating RNA Molecule Suitable for a Detailed Analysis of Extracellular Evolution and Replication," Proc. Natl. Acad. Sci. USA 69: 3038-3042 (1972);
- Kaplitt et al., "Expression of a Functional Foreign Gene in Adult Mammalian Brain following in Vivo Transfer via a Herpes Simplex Virus Type 1 Defective Viral Vector," Mol. Cell. Neurosci. 2: 320-330 (1991);
- Kim *et al.*, "Use of the human elongation factor 1α promoter as a versatile and efficient expression system," *Gene* 91:217-223 (1990);
- Kohler and Milstein, "Continuous cultures of fused cells secreting antibody of predefined specificity," *Nature* 256: 495-497 (1975);

- Kozbor *et al.*, "The production of monoclonal antibodies from human lymphocytes," *Immun. Today* 4: 72-79 (1983);
- Kruglyak et al., "Parametric and Nonparametric Linkage Analysis: A Unified Multipoint Approach," Am. J. Hum. Genet. 58: 1347-1363 (1996);
- Kuo et al., "Efficient Gene Transfer Into Primary Murine Lymphocytes Obviating the Need for Drug Selection," Blood 82: 845-852 (1993);
- Lamond, "The Spliceosome," *BioEssays* 15: 595-603 (1993);
- La Salle *et al.*, "An Adenovirus Vector for Gene Transfer into Neurons and Glia in the Brain," *Science* 259: 988-990 (1993);
- Lathrop et al., "Strategies for multilocus linkage analysis in humans," Proc. Natl. Acad. Sci. U.S.A. 81: 3443-3446 (1984);
- Lebkowski et al., "Adeno-Associated Virus: a Vector System for Efficient
 Introduction and Integration of DNA into a Variety of Mammalian Cell Types," Mol.
 Cell. Biol. 8: 3988-3996 (1988);
- Lehrman et al., "Duplication of Seven Exons in LDL Receptor Gene Caused by Alu-Alu Recombination in a Subject with Familial Hypercholesterolemia," Cell 48: 827-835 (1987);
- Lindstrom *et al.*, "Neuronal Nicotinic Receptor Subtypes," *Ann. NY Acad. Sci.* 757: 100-116 (1996);
- Lukas and Bencherif, "Heterogeneity and Regulation of Nicotinic Acetylcholine Receptors," *Int. Rev. Neurobiol.* 34: 25-131 (1992);
- Luntz-Leybman *et al.*, "Cholinergic gating of response to auditory stimuli in rat hippocampus," *Brain. Res.* 587: 130-136 (1992);
- Machy et al., "Gene transfer from targeted liposomes to specific lymphoid cells by electroporation," Proc. Natl. Acad. Sci. U.S.A. 85: 8027-8031 (1988);
- Mäkelä et al., "Whole-head mapping of middle-latency auditory evoked magnetic fields," Electroencephalogr. Clin. Neurophysiol. 92: 414-421 (1994);
- Maniatis et al., "Regulation of Inducible and Tissue-Specific Gene Expression,"
 Science 236: 1237-1244 (1987);

- Mann et al., "Construction of a Retrovirus Packaging Mutant and Its Use to Produce Helper-Free Defective Retrovirus," Cell 33: 153-159 (1983);
- Markowitz et al., "A Safe Packaging Line for Gene Transfer: Separating Viral Genes on Two Different Plasmids," J. Virol. 62: 1120-1124 (1988);
- Marks and Collins, "Characterization of Nicotine Binding in Mouse Brain and Comparison with the Binding of α-Bungarotoxin and Quinuclidinyl Benzilate," Mol. Pharmacol. 22: 554 (1982);
- Marks et al., "Nicotinic Binding Sites in Rat and Mouse Brain: Comparison of Acetylcholine, Nicotine, and α-Bungarotoxin," Mol. Pharmacol. 30: 427-437 (1986);
- Matter-Sadzinski et al., "Neuronal specificity of the α7 nicotinic acetylcholine receptor promoter develops during morphogenesis of the central nervous system," EMBO J. 11: 4529-4538 (1992);
- Maue et al., "Neuron-Specific Expression of the Rat Brain Type II Sodium Channel
 Gene Is Directed by Upstream Regulatory Elements," Neuron 4: 223-231 (1990);
- Melissari et al., "Mitral valve prolapse in a case of Marfan syndrome with congenital cardiac disease, chronic obstructive pulmonary disease and schizophrenia,"
 Pathologica 87: 78-81 (1995);
- Miller *et al.*, "A simple salting out procedure for extracting DNA from human nucleated cells," *Nucl. Acids Res.* 16: 1215 (1988);
- Miller and Rosman, "Improved Retroviral Vectors for Gene Transfer and Expression," *BioTechniques* 7: 980-990 (1992);
- Miller and Freeman, "The Activity of Hippocampal Interneurons and Pyramidal Cells
 During The Response of the Hippocampus to Repeated Auditory Stimuli," *Neurosci*.
 69: 371-381 (1995);
- Mizushima and Nagata, "pEF-BOS, a powerful mammalian expression vector," Nucl. Acids. Res. 18:5322 (1990);
- Nagamoto et al., "Sensory Gating in Schizophrenics and Normal Controls: Effects of Changing Stimulation Interval," Biol. Psychiat. 25: 549-561 (1989);
- Nagamoto et al., "Gating of Auditory P50 in Schizophrenics: Unique Effects of Clozapine," Biol. Psychiat. 40: 181-188 (1996);

- Newland et al., "Functional and non-functional isoforms of the human muscle acetylcholine receptor," J. Physiol. 489: 767-778 (1995);
- Nielsen et al., "Peptide nucleic acids (PNAs): Potential anti-sense and anti-gene agents," Anticancer Drug Des. 8:53-63 (1993);
- Orr-Urtreger et al., "Cloning and Mapping of the Mouse α7-Neuronal Nicotinic Acetylcholine Receptor," Genomics 26: 399-402 (1995);
- Ott, Analysis of Human Genetic Linkage, Johns Hopkins University Press, Baltimore (1991);
- Ott, "Computer-simulation methods in human linkage analysis," *Proc. Natl. Acad. Sci. U.S.A.* 86: 4175-2178 (1989);
- Patrick et al., "Molecular Biology of Nicotinic Acetylcholine Receptors," Ann. NY Acad. Sci. 505: 194 (1987);
- Pauly et al., "Glucocorticoid Regulation of Sensitivity to Nicotine," in The Biology of Nicotine: Current Research Issues, Lippiello et al. (eds.), pp. 121-139, Raven Press, New York (1992);
- Peng et al., "Human α7 Acetylcholine Receptor: Cloning of the α7 Subunit from the SH-SY5Y Cell Line and Determination of Pharmacological Properties of Native Receptors and Functional α7 Homomers Expressed in Xenopus Oocytes," Mol. Pharm. 45: 546-554 (1994);
- Pulver et al., "Follow-Up of a Report of a Potential Linkage for Schizophrenia on Chromosome 22q12-q13.1: Part 2," Am. J. Med. Genet. 54: 44-50 (1994);
- Risch, "Genetic Linkage and Complex Diseases, With Special Reference to Psychiatric Disorders," Genet. Epidemiol. 7: 3-16 (1990);
- Rollins et al., "Cellular Localization of α-Bungarotoxin Binding and α7 mRNA in the Hippocampus Related to Auditory Gating in the Awake, Behaving Rat," Soc. Neurosci. Abst. 22: 1272 (1996);
- Saksela et al., "Human immunodeficiency virus type 1 mRNA expression in peripheral blood cells predicts disease progression independently of the numbers of CD4⁺ lymphocytes," Proc. Natl. Acad. Sci. U.S.A. 91: 1104-1108 (1994);

- Saksela et al., "High Viral Load in Lymph Nodes and Latent Human Immunodeficiency Virus (HIV) in Peripheral Blood Cells of HIV-1 Infected Chimpanzees," J. Virol. 67: 7423-7427 (1993);
- Sambrook et al., Molecular Cloning: A Laboratory Manual, 2nd ed., pp. 7.39-7.52,
 9.31-9.58, 16.6-16.15, Cold Spring Laboratory Press, New York (1989);
- Samulski et al., "A Recombinant Plasmid from Which an Infectious Adeno-Associated Virus Genome Can Be Excised In Vitro and Its Use To Study Viral Replication," J. Virol. 61: 3096-3101 (1987);
- Samulski et al., "Helper-Free Stocks of Recombinant Adeno-Associated Viruses: Normal Integration Does Not Require Viral Gene Expression," J. Virol. 63: 3822-3828 (1989);
- Sauerwald et al., "The 5'-Flanking Region of the Synapsin I Gene," J. Biol. Chem. 265: 14932-14937 (1990);
- Schmid, "Alu: Structure, Origin, Evolution, Significance and Function of One-Tenth of Human DNA," *Prog. Nucl. Acid Res.* 53: 283-319 (1996);
- Schoepfer et al., "Brain α-Bungarotoxin Binding Protein cDNAs and MAbs Reveal Subtypes of This Branch of the Ligand-Gated Ion Channel Gene Superfamily," Neuron 5: 35-48 (1990);
- Séguéla et al., "Molecular Cloning, Functional Properties, and Distribution of Rat Brain α7: A Nicotinic Cation Channel Highly Permeable to Calcium," J. Neurosci. 13: 596-604 (1993);
- Sham *et al.*, "Segregration analysis of complex phenotypes: an application to schizophrenia and auditory P300 latency," *Psychiat. Genet.* 4: 29-38 (1994);
- Siegel et al., "Deficits in Sensory Gating in Schizophrenic Patients and Their Relatives, Evidence Obtained With Auditory Evoked Responses," Arch. Gen. Psychiat. 41: 607-612 (1984);
- Silverman et al., "Evidence of a Locus for Schizophrenia and Related Disorders on the Short Arm of Chromosome 5 in a Large Pedigree," Am. J. Med. Genet. 67: 162-171 (1996);

- Sirota et al., "Schizophrenia and Marfan Syndrome," Br. J. Psychiat. 157: 433-436 (1990);
- Spitzer et al., "Research Diagnostic Criteria, Rationale and Reliability," Arch. Gen. Psychiat. 35: 773-782 (1978);
- Stratford-Perricaudet *et al.*, "Widespread Long-term Gene Transfer to Mouse Skeletal Muscles and Heart," *J. Clin. Invest.* 90: 626-630 (1992);
- Tsuang et al., "Long-term Outcome of Major Psychoses I. Schizophrenia and Affective Disorders Compared with Psychiatrically Symptom-Free Surgical Conditions," Arch. Gen. Psychiat. 36: 1295-1301 (1979);
- Tsuang et al., "Genotypes, Phenotypes, and the Brain, A Search for Connections in Schizophrenia," *Brit. J. Psychiat.* 163: 299-307 (1993);
- Uetsuki et al., "Isolation and Characterization of the Human Chromosomal Gene for Polypeptide Chain Elongation Factor-1α," J. Biol. Chem. 264:5791 (1989);
- Ulmer et al., "Heterologous Protection Against Influenza by Injection of DNA Encoding a Viral Protein," Science 259: 1745-1748 (1993);
- Vinogradova *et al.*, "Do Semantic Priming Effects Correlate with Sensory Gating in Schizophrenia," *Biol. Psychiat.* 39: 821-824 (1996);
- Vinogradova, in *The Hippocampus 2: Neurophysiology and Behavior*, Issacson and Pribram (eds.), pp. 3-69, Plenum Press, New York, New York (1975);
- von Heijne, "A new method for predicting signal sequence cleavage sites," *Nucl. Acids Res.* 14: 4683-4690 (1986);
- Voss *et al.*, "The role of enhancers in the regulation of cell-type-specific transcriptional control," *Trends Biochem. Sci.* 11:287-289 (1986);
- Wada et al., "Distribution of Alpha2, Alpha3, Alpha4, and Beta2 Neuronal Nicotinic Receptor Subunit mRNAs in the Central Nervous System: A Hybridization Histochemical Study in the Rat," J. Compar. Neurol. 284: 314-335 (1989);
- Waldo *et al.*, "Codistribution of a Sensory Gating Deficit and Schizophrenia in Multi-affected Families," *Psychiat. Res.* 39: 257-268 (1991);
- Waldo *et al.*, "Auditory sensory gating, hippocampal volume, and catecholamine metabolism in schizophrenics and their siblings," *Schizophr. Res.* 12: 93-106 (1991);

- Wang et al., "Evidence for a susceptibility locus for schizophrenia on chromosome 6pter-p22," *Nature Genet.* 10: 41-46 (1995);
- Williams *et al.*, "Introduction of foreign genes into tissues of living mice by DNA-coated microprojectiles," *Proc. Natl. Acad. Sci. U.S.A.* 88: 2726-2730 (1991);
- Wilson *et al.*, "Habituation of Human Limbic Neuronal Response to Sensory Stimulation," *Exp. Neurol.* 84: 74-97 (1984);
- Wilson et al., "Hepatocyte-directed Gene Transfer in Vivo Leads to Transient Improvement of Hypercholesterolemia in Low Density Lipoprotein Receptordeficient Rabbits," J. Biol. Chem. 267: 963-967 (1992);
- Wonnacott, "α-Bungarotoxin Binds to Low-Affinity Nicotine Binding Sites in Rat Brain," J. Neurochem. 47: 1706-1712 (1986);
- Wu and Wallace, "The Ligation Amplification Reaction (LAR) -- Amplification of Specific DNA Sequences Using Sequential Rounds of Template-Dependent Ligation," *Genomics* 4:560-569 (1989);
- Wu and Wu, "Receptor-mediated Gene Delivery and Expression in Vivo," J. Biol.
 Chem. 263: 14621-14624 (1988);
- Wu and Wu, "Receptor-mediated in Vitro Gene Transformation by a Soluble DNA Carrier System," J. Biol. Chem. 262: 4429-4432 (1987); and
- Zhang *et al.*, "Neuronal Acetylcholine Receptors That Bind α-Bungarotoxin with High Affinity Function as Ligand-Gated Ion Channels," *Neuron* 12: 167-177 (1994).

In addition, Applicants have become aware of the following printed publications, which may be material to the examination of this application:

- Anand and Lindstrom, "Nucleotide sequence of the human nicotinic acetylcholine receptor β2 subunit gene," *Nuc. Acids Res.* 18: 4272 (1990);
- Chini et al., "Molecular Cloning and Chromosomal Localization of the Human α7-Nicotinic Receptor Subunit Gene (CHRNA7)," Genomics 19: 379-381 (1994);
- Deneris et al., "Primary Structure and Expression of β2: A Novel Subunit of Neuronal Nicotinic Acetylcholine Receptors," Neuron 1: 45-54 (1988);

- Doucette-Stamm et al., "Cloning and Sequence of the Human α7 Nicotinic Acetylcholine Receptor," Drug Dev. Res. 30: 252-256 (1993);
- Fornasari et al., "Molecular cloning of human neuronal nicotinic receptor α3subunit," Neurosci. Lett. 111: 351-356 (1990);
- Fornasari et al., "Structural and Functional Characterization of the Human α3
 Nicotinic Subunit Gene Promoter," Mol. Pharmacol. 51: 250-261 (1997);
- Garcia-Guzman et al., "α-Bungarotoxin-sensitive Nicotinic Receptors on Bovine Chromaffin Cells: Molecular Cloning, Functional Expression and Alternative Splicing of the α7 Subunit," Eur. J. Neuorosci. 7: 647-655 (1995);
- GenBank Accession No. X70297 (1993); and
- GenBank Accession No. Z58126.

Also included for the Examiner's convenience are the following publications in which the inventors are co-authors. These publications, while not prior art, have been included for the sake of completeness:

- Breese et al., "Comparison of the Regional Expression of Nicotinic Acetylcholine Receptor α7 mRNA and [¹²⁵I]-α-bungarotoxin binding in Human Postmortem Brain,"
 J. Comp. Neurol. 387: 385-398 (1997);
- Leonard *et al.*, "Linkage of a chromosome 15 locus to a neurophysiological deficit in schizophrenia," *Am. J. Human Genet.* 59: A225 (1996);
- Leonard et al., "Genomic Structure of the Human α7 Neuronal Nicotinic Acetylcholine Receptor Subunit," Abstracts, Society for Neuroscience, 27th Annual Meeting, October 25-30 (1997);
- Freedman *et al.*, "Linkage of a neurophysiological deficit in schizophrenia to a chromosome 15 locus," *Proc. Natl. Acad. Sci. U.S.A.* 94: 587-592 (1997);
- Breese et al., "Abnormal Regulation of High Affinity Nicotinic Receptor Binding in Schizophrenics," Abstracts, Society for Neuroscience, 27th Annual Meeting, October 25-30 (1997);

- Gault et al., "Contig construction across the 15q14 schizophrenia linkage region and candidate gene characterization of the partially duplicated α7 nicotinic receptor," Am.

 J. Human Genet. 63: A249 (1998);
- Leonard *et al.*, "Additional evidence for a chromosome 15 locus in schizophrenia: Analysis of affected sibpairs from the NMH genetics initiative," *Am. J. Human Genet.* 63: A297 (1998);
- Zetterström et al., "Polymorphisms at the Calcitonin/CGRP-α Gene Locus: Investigation of Possible Associations with Neurological or Psychiatric Disease,"
 Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998);
- Drebing et al., "Expression of the Human α7 Neuronal Nicotinic Acetylcholine Receptor and a Partial Gene Duplication," Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998);
- Leonard et al., "Genomic Organization and Partial Duplication of the Human α7
 Neuronal Nicotinic Acetylcholine Receptor Subunit Gene," Abstracts, Society for
 Neuroscience, 28th Annual Meeting, November 7-12 (1998);
- Dudek et al., "Expression in Human Brain of Novel Exons Associated with a Partial Duplication of the α7 Neuronal Nicotinic Receptor," Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998);
- Breese et al., "Abnormal Regulation of the High Affinity Nicotinic Receptors in Schizophrenia," Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998);
- Lee et al., "The Effect of Nicotine and Haloperidol on High Affinity Nicotinic Receptors and Dopamine D2 Receptors in the Rat Brain," Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998)
- Adler et al., "Schizophrenia, Sensory Gating, and Nicotinic Receptors,"
 Schizophrenia Bulletin 24: 189-202 (1998);
- Leonard et al., "Further Investigation of a Chromosome 15 Locus in Schizophrenia: Analysis of Affected Sibpairs From the NIMH Genetics Initiative," Am. J. Med. Genet. 81: 308-312 (1998);

- Gault et al., "Genomic Organization and Partial Duplication of the Human α7
 Neuronal Nicotinic Acetylcholine Receptor Gene (CHRNA7), Genomics 52: 173-185
 (1998);
- Leonard et al., "Association of promoter variants in the alpha7 nicotinic acetylcholine receptor subunit gene with an inhibitory deficit found in schizophrenia," Arch Gen Psychiatry, 59:1085-1096 (2002);
- Gault et al., "Comparison of polymorphisms in the alpha7 nicotinic receptor gene and
 its partial duplication in schizophrenic and control subjects," Am J Med Genet B
 Neuropsychiatr Genet, 123:39-49 (2003);
- Leonard, "Consequences of low levels of nicotinic acetylcholine receptors in schizophrenia for drug development, *Drug Development Research*, 60:127-136 (2003); and
- Mexal et al., Differential modulation of gene expression in the NMDA postsynaptic density of schizophrenic and control smokers," Mol Brain Res, 139:317-332 (2005).

This Information Disclosure Statement under 37 C.F.R. § 1.56 and § 1.97 is not to be construed as a representation that a search has been made, that additional information material to the examination of this application does not exist, or that any one or more of these citations constitutes prior art.

Dated: March 7, 2006

By: Christine A. Lekutis

MEDLEN & CARROLL, LLP 101 Howard Street, Suite 350 San Francisco, California 94105 415.904.6500

Registration No. 51,934

U.S. Department of Commerce

Patent and Trademark Office

Attorney Docket No.: VARD-07989

Serial No.: 10/723,940

(Use Several Sheets If Necessary)

Applicant: Sherry Leonard et al.

| (37 CFR § 1.98(b)) | Filing Date: 11/26/2003 | Group Art Unit: 1649 |
|--------------------|-------------------------|----------------------|
| | | |

| 37 CFR § 1.9 | 7 CFR § 1.98(b)) Filing Date: 11/26/2003 | | | Group Art Unit: 1649 | | | | | |
|-------------------|--|---------------------------|----------------|----------------------|-------------|----------|----------|-------------|------|
| | | _ | | U.S. PATENT DOCUMEN | NTS | | | | |
| Examiner Initials | Cite No. | Serial / Patent Number | Issue Date | Applicant / Pa | atentee | Class | Subclass | Filing | Date |
| | 1 | 4,650,764 | 03/17/87 | Temin et | al. | | | 03/2 | 6/84 |
| | 2 | 4,683,195 | 07/28/87 | Mullis et | al. | | | 02/0 | 7/86 |
| | 3 | 4,683,202 | 07/28/87 | Mullis | | | | 10/2 | 5/85 |
| | 4 | 4,861,719 | 08/29/89 | Miller | | | | 04/2 | 5/86 |
| | 5 | 4,946,778 | 08/7/90 | Ladner et | al. | | | 01/1 | 9/89 |
| | 6 | 4,965,188 | 10/23/90 | Mullis et | al. | | | 06/1 | 7/87 |
| | 7 | 4,980,289 | 12/25/90 | Temin et | al. | | | 04/2 | 7/87 |
| | 8 | 5,124,263 | 06/23/92 | Temin et | al. | | | 01/1 | 2/89 |
| | 9 | 5,322,770 | 06/21/94 | Gelfand | i | | | 12/2 | 2/89 |
| | 10 | 5,399,346 | 03/21/95 | Anderson e | et al. | | | 03/3 | 0/94 |
| | 11 | 5,459,127 | 10/17/95 | Felgner et | al. | | | 09/1 | 6/93 |
| | 12 | 5,580,859 | 12/03/96 | Felgner et | al. | | | 03/1 | 8/94 |
| | 13 | 5,589,466 | 12/31/96 | Felgner et | al. | | | 01/2 | 6/95 |
| | 14 | 5,837,489 | 11/17/98 | Elliott et | al. | | | 06/0 | 5/95 |
| | | F | OREIGN PATENTS | OR PUBLISHED FOREIGN | PATENT APPL | ICATIONS | | | |
| | 9 | Document | Publication | Country / Pater | nt Office | Class | Subclass | Translation | |
| | | Number | Date | | | | . (4 | Yes | Z |
| | 15 | WO 96/25508 | 08/22/96 | PCT | | | | | |
| | 16 | WO 96/17823 | 06/13/96 | PCT | | | | | |
| | 17 | WO 95/21931 | 08/17/95 | PCT | | | | | |
| | 18 | WO 95/18863 | 07/13/95 | PCT | | | | | |
| | 19 | WO 96/15244 | 05/23/96 | PCT | | | | | |
| | 20 | WO 95/07358 | 03/16/95 | PCT | | | | | |
| | 21 | WO 95/02697 | 01/26/95 | PCT | | | | | |
| | 22 | WO 94/26914 | 11/24/94 | PCT | | | | | |
| | 23 | WO 94/21807 | 09/29/94 | PCT | | | | | |
| | 24 | WO 93/03367 | 02/18/93 | PCT | | | | | |
| | 25 | WO 92/05263 | 04/02/92 | PCT | | | | | |
| | 26 | WO 90/02806 | 03/22/90 | PCT | , | | | | |
| | 27 | WO 90/13678 | 11/15/90 | PCT | | | | | |
| | 28 | WO 89/07150 | 08/10/89 | PCT | | | | | |
| - | 29 | EP 0453243A2 | 10/23/91 | European Paten | nt Office | | | | |
| | 30 | EP 0178220 B1 | 04/16/86 | European Paten | | | | | |
| xaminer: | | | | · | Considered: | | • | | |

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| FORM PTO-1449 | U.S. Department of Commerce | | Sheet 2 of | |
|--------------------|---|--|---|--|
| (Modified) | Patent and Trademark Office | Attorney Docket No.: VARD-07989 | Serial No.: 10/723,940 | |
| • | TION DISCLOSURE STATEMENT BY APPLICANT | | | |
| | (Use Several Sheets If Necessary) | Applicant: Sherry Leonard et al. | • | |
| (37 CFR § 1.98(b)) | • | Filing Date: 11/26/2003 | Group Art Unit: 1649 | |
| | OTHER DOCUMENTS (Including Author, Title, D | ate, Relevant Pages, Place of Publication) | | |
| 31 | Adler et al., " Normalization by Nicotine of Deficient Auditory (1992) | Sensory Gating in the Relatives of Schizoph | nrenics," Biol. Psych. 32: 607-616 | |
| 32 | Adler et al., "Normalization of Auditory Physiology by Cigarett | e Smoking in Schizophrenic Patients," Am. | J. Psychol. 150: 1856-1861 (1993) | |
| 33 | Adler et al., "Neurophysiological Studies of Sensory Gating in F 21: 787-798 (1986) | Rats: Effects of Amphetamine, Phencyclidin | ne, and Haloperidol," <i>Biol. Psychiat</i> . | |
| 34 | Adler et al., "Neurophysiological Evidence for a Defect in Neur 17: 639-654 (1982) | onal Mechanisms Involved in Sensory Gati | ng in Schizophrenia," Biol. Psychiat | |
| 35 | Albertsen et al., "Construction and characterization of a yeast at equivalents," Proc. Natl. Acad. Sci. 87: 4256-4260 (1990) | rtificial chromosome library containing seve | en haploid human genome | |
| 36 | Alkondon and Albuquerque, "Diversity of Nicotinic Acetylcholi Evidence for District Structural Subtypes," J. Pharm. Ex. Ther. | | . I. Pharmacological and Functional | |
| 37 | Amar et al., "Agonist pharmacology of the neuronal α7 nicotini | c receptor expressed in Xenopus oocytes," I | FEBS 327: 284-288 (1993) | |
| 38 | Anderson and Young, "Quantitative Filter Hybridization," in Na. 73-109, IRL Press (1985) | ıcleic Acid Hybridization A Practical Appr | oach, Hames and Higgins (eds.), pp. | |
| 39 | Barnes, "PCR Amplification of up to 35-kb DNA with high fide U.S.A. 91: 2216-2220 (1994) | elity and high yield from λ bacteriophage te | mplates," Proc. Natl. Acad. Sci. | |
| 40 | Beard et al., "Transcription Mapping of Mouse Adenovirus Typ | e 1 Early Region 3," Virology, pp. 75-81 (1 | 990) | |
| 41 | Beeson et al., "The human muscle nicotinic acetylcholine receptor α-subunit exists as two isoforms: a novel exon," EMBO J. 9: 2101-2106 (1990) | | | |
| 42 | Bender et al., "Evidence that the Packaging Signal of Moloney Murine Leukemia Virus Extends into the gag Region," J. Virol. 61: 1639-164 (1987) | | | |
| 43 | Bernstein et al., "Gene Transfer with Retrovirus Vectors," Gene | t. Eng. 7: 235-261 (1985) | | |
| 44 | Bessis et al., "Negative regulatory elements upstream of a novel Acids Res. 21: 2185-2192 (1993) | exon of the neuronal nicotinic acetylcholin | e receptor of $\alpha 2$ subunit gene," Nuc | |
| 45 | Bickford-Wimer et al., "Auditory Sensory Gating in Hippocamp | oal Neurons: A Model System in the Rat," E | iol. Psychiat. 27: 183-192 (1990) | |
| 46 | Bickford and Wear, "Restoration of sensory gating of auditory e 240 (1995) | voked response by nicotine in fimbria-form | x lesioned rats," Brain Res. 705: 23 | |
| 47 | Biedler et al., "Multiple Neurotransmitter Synthesis by Human I | Neuroblastoma Cell Lines and Clones," Car | acer Res. 38: 3751-3757 (1978) | |
| 48 | Blount and Merlie, "Mutational Analysis of Muscle Nicotinic A | cetylcholine Receptor Subunit Assembly," | J. Cell Biol. 111: 2613-2622 (1990) | |
| 49 | Boshart et al., "A Very Strong Enhancer is Located Upstream of | f an Immediate Early Gene of Human Cytor | negalovirus," Cell 41:521-530 (198 | |
| 50 | Boutros and Overall, "Replication and Extension of P50 Finding | gs in Schizophrenia," Clin. Electroencepha | log. 22: 40-45 (1991) | |
| 51 | Braff et al., "Gating and Habituation of the Startle Reflex in Sch | nizophrenic Patients," Arch. Gen. Psychiat. | 49: 206-215 (1992) | |
| 52 | Breier et al., "National Institute of Mental Health Longitudinal S Gen. Psychiat., 48: 239-246 (1991) | Study of Chronic Schizophrenia, Prognosis | and Predictors of Outcome," Arch. | |
| 53 | Brownstein et al., "Isolation of Single-Copy Human Genes from (1989) | a Library of Yeast Artificial Chromosome | Clones," Science 244: 1348-1351 | |
| 54 | Burke et al., "Cloning of Large Segments of Exogenous DNA in (1987) | to Yeast by Means of Artificial Chromoson | ne Vectors," Science 236: 806-812 | |
| 55 | Calzolari et al., "Psychiatric Disorder in a Familial 15;18 Transl Genet. 67: 154-161 (1996) | ocation and Sublocalization of Myelin Basi | c Protein to 18q22.3," Am. J. Med. | |
| Examiner: | | | | |
| EXAMINER: In | itial citation considered. Draw line through citation if not in conformation to applicant. | mance and not considered. Include copy o | f this form with | |

| FORM PTO-1449 | U.S. Department of Commerce | | | | |
|--------------------|---|---|---------------------------------------|--|--|
| (Modified) | Patent and Trademark Office | Attorney Docket No.: VARD-07989 | Serial No.: 10/723,940 | | |
| INFORMAT | TION DISCLOSURE STATEMENT BY APPLICANT | | | | |
| | (Use Several Sheets If Necessary) | Applicant: Sherry Leonard et al. | · · · · · · · · · · · · · · · · · · · | | |
| (37 CFR § 1.98(b)) | | Filing Date: 11/26/2003 | Group Art Unit: 1649 | | |
| | OTHER DOCUMENTS (Including Author, Title, D | ate, Relevant Pages, Place of Publication) | | | |
| 56 | Cameron et al., "Dendritic Cells Exposed to Human Immunodeficiency Virus Type-1 Transmit a Vigorous Cytophathic Infection to CD4 ⁺ Cells," Science 257: 383-387 (1992) | | | | |
| 57 | Casaubon et al., "The Gene Responsible for a Severe Form of Pe Chromosome 15q," Am. J. Hum. Genet. 58: 28-34 (1996) | eripheral Neuropathy and Agenesis of the C | Corpus Callosum Maps to | | |
| 58 | Chamberlin et al., "New RNA Polymerase from Escherichia col | li infected with Bacteriophage T7," Nature | 228:227-231 (1970) | | |
| 59 | Chomczynski and Sacchi, "Single-Step Method of RNA Isolatio Biochem. 162: 156-159 (1987) | on by Acid Guanidinium Thiocyanate-Pheno | ol-Chloroform Extraction," Anal. | | |
| 60 | Chumakov et al., "Continuum of overlapping clones spanning the | he entire human chromosome 21q," Nature | 359: 380-386 (1992) | | |
| 61 | Clarke, "Prader-Willi Syndrome and Psychoses," Brit. J. Psychia | at. 163: 680-684 (1993) | | | |
| 62 | Cole et al., "The EBV-Hybridoma Technique and its Application Reisfeld et al. (eds.), pp. 77-96, Alan R. Liss, Inc. (1985) | n to Human Lung Cancer," in Monoclonal | Antibodies and Cancer Therapy, | | |
| 63 | Conti-Tronconi <i>et al.</i> , "Brain and muscle nicotinic acetylcholine 82: 5208-5212 (1985) | e receptors are different but homologous pro | oteins," Proc. Natl. Acad. Sci. U.S.A | | |
| 64 | Coon et al., "Search for Mutations in the β1 GABA _A Receptor S (1994) | Subunit Gene in Patients with Schizophreni | a," Am. J. Med. Genet. 54: 12-20 | | |
| 65 | Coon et al., "Use of a Neurophysiological Trait in Linkage Anal | lysis of Schizophrenia," Biol. Psychiat. 34: | 277-289 (1993) | | |
| 66 | Cooper et al., "Pentameric structure and subunit stoichiometry o | of a neuronal nicotinic acetylcholine recepto | or," Nature 350: 235-238 (1991) | | |
| 67 | Cote et al., "Generation of human monoclonal antibodies reactive | ve with cellular antigens," Proc. Natl. Acad | . Sci. U.S.A. 80: 2026-2030 (1983) | | |
| 68 | Couturier et al., "A Neuronal Nicotinic Acetylcholine Receptor Subunit (α 7) Is Developmentally Regulated and Forms a Homo-Oligomeric Channel Blocked by α -BTX," Neuron 5: 847-856 (1990) | | | | |
| 69 | Cullum et al., "Neurophysiological and neuropsychological evidence for attentional dysfunction in schizophrenia," Schizophrenia Res. 10: 13 141 (1993) | | | | |
| 70 | Curiel et al., "High-Efficiency Gene Transfer Mediated by Aden (1992) | novirus Coupled to DNA-Polylysine Comple | exes," Hum. Gene Ther. 3: 147-154 | | |
| 71 | De Amicis et al., "Reaction Time Crossover as a Marker of Schi | izophrenia and of Higher Functioning," J. A | lerv. Ment. Dis. 174: 177-179 (1986 | | |
| 72 | deLeon et al., "Schizophrenia and Smoking: An Epidemiologica | al Survey in a State Hospital," Am. J. Psych. | iat. 152: 453-455 (1995) | | |
| 73 | Den-Dunnen et al., "Topography of the Duchenne Muscular Dys Deletions and 13 Duplications," Am. J. Hum. Genet. 45: 835-84 | | alysis of 194 Cases Reveals 115 | | |
| 74 | Deneris et al., "Genes Encoding Neuronal Nicotinic Acetylcholin | ne Receptors," Clin. Chem. 35: 731-737 (1 | 989) | | |
| 75 | Dijkema et al., "Cloning and expression of the chromosomal im | mune interferon gene of the rat," EMBO J. | 4:761-767 (1985) | | |
| 76 | Dominguez del Toro et al., "Immunocytochemical Localization of Nervous System," J. Comp. Neurol. 349: 325-342 (1994) | of the α7 Subunit of the Nicotinic Acetylch | oline Receptor in the Rat Central | | |
| 77 | Dracopoli et al., Current Protocols in Human Genetics, John W | iley & Sons, Inc., New York, New York (1 | 994) not provided | | |
| 78 | Eaton, "Epidemiology of Schizophrenia," Epidemiol. Rev. 7: 105 | 5-126 (1985) | | | |
| 79 | Elgoyhen et al., "α9: An Acetylcholine Receptor with Novel Pha 715 (1994) | | Cochlear Hair Cells," Cell 79: 705- | | |
| 80 | Erlich (ed.), PCR Technology, Stockton Press (1989) | | | | |
| Examiner: | | | | | |
| | | · | | | |

| FORM PTO-144 (Modified) | 49 | U.S. Department of Commerce Patent and Trademark Office | Attorney Docket No.: VARD-07989 | Serial No.: 10/723,940 |
|-----------------------------------|---|---|--|-------------------------------------|
| ` , | ORMAT | TION DISCLOSURE STATEMENT BY APPLICANT | Thiomey booker to This or you | Della 11011 1077 25,540 |
| (Use Several Sheets If Necessary) | | | Applicant: Sherry Leonard et al. | |
| (37 CFR § 1.98(| (b)) | (, | Filing Date: 11/26/2003 | Group Art Unit: 1649 |
| <u>`</u> | | OTHER DOCUMENTS (Including Author, Title, D | | <u> </u> |
| | 81 | Endicott and Spitzer, "A Diagnostic Interview, The Schedule fo (1978) | r Affective Disorders and Schizophrenia," | Arch. Gen. Psychiat. 35: 837-844 |
| | 82 | Erwin et al., "Midlatency Auditory Evoked Responses in Schize | ophrenia," <i>Biol. Psychiat.</i> 30: 430-442 (199 | 01) |
| | 83 | Felgner and Ringold, "Cationic liposome-mediated transfection, | ," Nature 337: 387-388 (1989) | |
| | 84 | Felgner et al., "Lipofection: A highly efficient, lipid-mediated D | DNA-transfection procedure," Proc. Natl. A | cad. Sci. U.S.A. 84: 7413-7417 (198 |
| | 85 | Freedman <i>et al.</i> , "α-Bungarotoxin Binding to Hippocampal Inte Expression," <i>J. Neurosci.</i> 13: 1965-1975 (1993) | rneurons: Immunocytochemical Characteri | zation and Effects on Growth Factor |
| | 86 | Freedman et al., "Elementary neuronal dysfunctions in schizoph | nrenia," Schiz. Res. 4: 233-243 (1991) | |
| | 87 | Freedman et al., "Schizophrenia and Nicotinic Receptors," Harn | vard Rev. Psychiat. 2: 179-192 (1994) | |
| | 88 | Freedman et al., "Evidence in Postmortem Brain Tissue for Dec Psychiat. 38: 22-33 (1995) | reased Numbers in Hippocampal Nicotinic | Receptors in Schizophrenia," Biol. |
| | 89 | Frohman, Amplifications 5: 11 (1990) not provided | | |
| | 90 | Galzi et al., "Functional Architecture of the Nicotinic Acetylcho (1991) | oline Receptor: From Electric Organ to Brai | n," Ann. Rev. Pharmacol. 31: 37-72 |
| | Goff et al., "Cigarette Smoking in Schizophrenia: Relationship to Psychopathology and Medication Side Effects," Am. J. Psychiat. 149: 1194 (1992) | | | |
| | 92 | Goff et al., "Neural Origins of Long Latency Evoked Potentials Prog. Clin. Neurophysiol. 7: 126-145 (1980) | Recorded from the Depth and from the Cor | tical Surface of the Brain in Man," |
| | 93 | Goldman et al., "Members of a Nicotinic Acetylcholine Receptor Nervous System," Cell 48: 965-973 (1987) | or Gene Family Are Expressed in Different | Regions of the Mammalian Central |
| | 94 | Gorman et al., "The Rous sarcoma virus long terminal repeat is mediated transfection," Proc. Natl. Acad. Sci. USA 79: 6777-67 | | ariety of eukaryotic cells by DNA- |
| | 95 | Graham and van der Eb, "A New Technique for the Assay of Inf | fectivity of Human Adenovirus 5 DNA," Vi | rology 52: 456-467 (1973) |
| | 96 | Green, "Biochemical Mechanisms of Constitutive and Regulated | d Pre-mRNA Splicing," Ann. Rev. Cell. Bio | l. 7: 559-599 (1991) |
| | 97 | Griffith et al., "Effects of sound intensity on a midlatency evoke Psychophysiology 32: 460-466 (1995) | ed response to repeated auditory stimuli in s | chizophrenic and normal subjects, |
| | 98 | Hamera et al., "Alcohol, Cannabis, Nicotine, and Caffeine Use a (1995) | and Symptom Distress in Schizophrenia," J | . Nerv. Mental Dis. 183: 559-565 |
| | 99 | Harlow and Lane, Antibodies: A Laboratory Manual, Cold Spri | ng Harbor Laboratory Press, Cold Spring H | arbor, New York; |
| | 100 | Hershman et al., "GABAB antagonists diminish the inhibitory ga (1995) | ating of auditory response in the rat hippoc | ampus," Neurosci. Lett. 190: 133-1 |
| | 101 | Holzman et al., "A Single Dominant Gene Can Account for Eye Arch. Gen. Psychiat. 45: 641-647 (1988) | Tracking Dysfunctions and Schizophrenia | in Offspring of Discordant Twins," |
| | 102 | Hu and Worton, "Partial Gene Duplication as a Cause of Humar | Disease," Hum. Mutat. 1: 3-12 (1992) | |
| | 103 | Huse et al., "Generation of a Large Combinatorial Library of the | Immunoglobulin Repertoire in Phage Lam | bda," Science 246: 1275-1281 (198 |
| | 104 | Hyman, "Schizophrenia," in Scientific American Medicine, 13 \ | /II: 1-5, Dale and Federman (eds.), New Yo | ork, New York (1994) |
| | 105 | Judd et al., "Sensory Gating Deficits in Schizophrenia: New Res | sults," Am. J. Psychiat. 149: 488-493 (1992 |) |
| Examiner: | | | Date Considered: | |
| EXAMINER: | | itial citation considered. Draw line through citation if not in confor xt communication to applicant. | rmance and not considered. Include copy o | f this form with |

| (Modified) | (Modified) Patent and Trademark Office | | Attorney Docket No.: VARD-07989 | Serial No.: 10/723,940 | | |
|-----------------------------------|--|---|---|---|--|--|
| INFOI | RMATI | ION DISCLOSURE STATEMENT BY APPLICANT | | | | |
| (Use Several Sheets If Necessary) | | | Applicant: Sherry Leonard et al. | | | |
| (37 CFR § 1.98(b) |)) | | Filing Date: 11/26/2003 | Group Art Unit: 1649 | | |
| | | OTHER DOCUMENTS (Including Author, Title, D | ate, Relevant Pages, Place of Publication) | | | |
| | 106 | Kacian et al., "A Replicating RNA Molecule Suitable for a Deta USA 69: 3038-3042 (1972) | tiled Analysis of Extracellular Evolution an | d Replication," Proc. Natl. Acad. Sci | | |
| | 107 | Kaplitt et al., "Expression of a Functional Foreign Gene in Adul 1 Defective Viral Vector," Mol. Cell. Neurosci. 2: 320-330 (199 | | sfer via a Herpes Simplex Virus Typ | | |
| | 108 | Kim et al., "Use of the human elongation factor 1 | a versatile and efficient expression system, | " Gene 91:217-223 (1990) | | |
| | 109 | Kohler and Milstein, "Continuous cultures of fused cells secreting | ng antibody of predefined specificity," Nata | ure 256: 495-497 (1975) | | |
| | 110 | Kozbor et al., "The production of monoclonal antibodies from h | uman lymphocytes," Immun. Today 4: 72-7 | 79 (1983) | | |
| | 111 | Kruglyak et al., "Parametric and Nonparametric Linkage Analys | sis: A Unified Multipoint Approach," Am. J | J. Hum. Genet. 58: 1347-1363 (1996) | | |
| | 112 | Kuo et al., "Efficient Gene Transfer Into Primary Murine Lympl | hocytes Obviating the Need for Drug Select | tion," Blood 82: 845-852 (1993) | | |
| | 113 | Lamond, "The Spliceosome," BioEssays 15: 595-603 (1993) | | | | |
| | 114 | La Salle et al., "An Adenovirus Vector for Gene Transfer into N | eurons and Glia in the Brain," Science 259 | : 988-990 (1993) | | |
| | 115 | Lathrop et al., "Strategies for multilocus linkage analysis in hum | nans," Proc. Natl. Acad. Sci. U.S.A. 81: 344 | 43-3446 (1984) | | |
| | 116 | Lebkowski et al., "Adeno-Associated Virus: a Vector System for Cell Types," Mol. Cell. Biol. 8: 3988-3996 (1988) | r Efficient Introduction and Integration of I | DNA into a Variety of Mammalian | | |
| | 117 | Lehrman et al., "Duplication of Seven Exons in LDL Receptor C Hypercholesterolemia," Cell 48: 827-835 (1987) | Gene Caused by Alu-Alu Recombination in | a Subject with Familial | | |
| | 118 | Lindstrom et al., "Neuronal Nicotinic Receptor Subtypes," Ann. NY Acad. Sci. 757: 100-116 (1996) | | | | |
| | 119 | Lukas and Bencherif, "Heterogeneity and Regulation of Nicotinic Acetylcholine Receptors," Int. Rev. Neurobiol. 34: 25-131 (1992) | | | | |
| | 120 | Luntz-Leybman et al., "Cholinergic gating of response to audito | ry stimuli in rat hippocampus," Brain. Res. | . 587: 130-136 (1992) | | |
| | 121 | Machy et al., "Gene transfer from targeted liposomes to specific (1988) | lymphoid cells by electroporation," Proc. | Natl. Acad. Sci. U.S.A. 85: 8027-80. | | |
| | 122 | Mäkelä et al., "Whole-head mapping of middle-latency auditory (1994) | evoked magnetic fields," Electroencephal | ogr. Clin. Neurophysiol. 92: 414-42 | | |
| | 123 | Maniatis et al., "Regulation of Inducible and Tissue-Specific Ge | ene Expression," Science 236: 1237-1244 (| 1987) | | |
| | 124 | Mann et al., "Construction of a Retrovirus Packaging Mutant an | nd Its Use to Produce Helper-Free Defective | e Retrovirus," <i>Cell</i> 33: 153-159 (198 | | |
| | 125 | Markowitz et al., "A Safe Packaging Line for Gene Transfer: Se (1988) | parating Viral Genes on Two Different Plas | smids," <i>J. Virol</i> . 62: 1120-1124 | | |
| | 126 | Marks and Collins, "Characterization of Nicotine Binding in Mo Quinuclidinyl Benzilate," <i>Mol. Pharmacol.</i> 22: 554 (1982) | ouse Brain and Comparison with the Bindin | ng of α-Bungarotoxin and | | |
| | 127 | Marks et al., "Nicotinic Binding Sites in Rat and Mouse Brain: 30: 427-437 (1986) | Comparison of Acetylcholine, Nicotine, an | d α-Bungarotoxin," <i>Mol. Pharmaco</i> | | |
| | 128 | Matter-Sadzinski <i>et al.</i> , "Neuronal specificity of the ∝7 nicotinion nervous system," <i>EMBO J.</i> 11: 4529-4538 (1992) | c acetylcholine receptor promoter develops | during morphogenesis of the centra | | |
| | 129 | Maue et al., "Neuron-Specific Expression of the Rat Brain Type Neuron 4: 223-231 (1990) | Il Sodium Channel Gene Is Directed by U | pstream Regulatory Elements," | | |
| | 130 | Melissari et al., "Mitral valve prolapse in a case of Marfan syndischizophrenia," Pathologica 87: 78-81 (1995) | rome with congenital cardiac disease, chron | nic obstructive pulmonary disease ar | | |
| Examiner: | | | Date Considered: | | | |

| FORM PTO-144 | 49 | U.S. Department of Commerce | | |
|---|---|--|--|---|
| (Modified) | | Patent and Trademark Office | Attorney Docket No.: VARD-07989 | Serial No.: 10/723,940 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | ON DISCLOSURE STATEMENT BY APPLICANT | | |
| (Use Several Sheets If Necessary) | | | Applicant: Sherry Leonard et al. | |
| (37 CFR § 1.98 | (b)) | | Filing Date: 11/26/2003 | Group Art Unit: 1649 |
| | | OTHER DOCUMENTS (Including Author, Title, D | ate, Relevant Pages, Place of Publication) | |
| | 131 | Miller et al., "A simple salting out procedure for extracting DNA | A from human nucleated cells," Nucl. Acids | Res. 16: 1215 (1988) |
| | 132 | Miller and Rosman, "Improved Retroviral Vectors for Gene Tran | nsfer and Expression," BioTechniques 7: 980 |)-990 (1992) |
| | 133 | Miller and Freeman, "The Activity of Hippocampal Interneurons Auditory Stimuli," <i>Neurosci</i> . 69: 371-381 (1995) | s and Pyramidal Cells During The Response | of the Hippocampus to Repeated |
| | 134 | Mizushima and Nagata, "pEF-BOS, a powerful mammalian exp | ression vector," Nucl. Acids. Res. 18:5322 (| 1990) |
| | 135 | Nagamoto et al., "Sensory Gating in Schizophrenics and Norma 561 (1989) | l Controls: Effects of Changing Stimulation | Interval," Biol. Psychiat. 25: 549- |
| | 136 | Nagamoto et al., "Gating of Auditory P50 in Schizophrenics: Ur | nique Effects of Clozapine," Biol. Psychiat. | 40: 181-188 (1996) |
| | 137 | Newland et al., "Functional and non-functional isoforms of the | numan muscle acetylcholine receptor," J. Ph | ysiol. 489: 767-778 (1995) |
| | 138 | Nielsen et al., "Peptide nucleic acids (PNAs): Potential anti-sens | se and anti-gene agents." Anticancer Drug D | Des. 8:53-63 (1993) |
| | 139 | Orr-Urtreger et al., "Cloning and Mapping of the Mouse α7-Neu | ronal Nicotinic Acetylcholine Receptor," G | enomics 26: 399-402 (1995) |
| | 140 | Ott, Analysis of Human Genetic Linkage, Johns Hopkins Univer | sity Press, Baltimore (1991) | |
| | 141 | Ott, "Computer-simulation methods in human linkage analysis," | Proc. Natl. Acad. Sci. U.S.A. 86: 4175-217 | 8 (1989) |
| | 142 | Patrick et al., "Molecular Biology of Nicotinic Acetylcholine Re | ceptors," Ann. NY Acad. Sci. 505: 194 (198 | 7) |
| | 143 | Pauly et al., "Glucocorticoid Regulation of Sensitivity to Nicotir pp. 121-139, Raven Press, New York (1992) | ne," in The Biology of Nicotine: Current Res | rearch Issues, Lippiello et al. (eds.), |
| | 144 | Peng et al., "Human α7 Acetylcholine Receptor: Cloning of the Properties of Native Receptors and Functional α7 Homomers Ex | | |
| | 145 | Pulver et al., "Follow-Up of a Report of a Potential Linkage for \$44-50 (1994) | Schizophrenia on Chromosome 22q12-q13.1 | : Part 2," Am. J. Med. Genet. 54: |
| | 146 | Risch, "Genetic Linkage and Complex Diseases, With Special R | eference to Psychiatric Disorders," Genet. E | pidemiol. 7: 3-16 (1990) |
| | 147 | Rollins et al., "Cellular Localization of α-Bungarotoxin Binding Behaving Rat," Soc. Neurosci. Abst. 22: 1272 (1996) | and α7 mRNA in the Hippocampus Related | to Auditory Gating in the Awake, |
| | 148 | Saksela et al., "Human immunodeficiency virus type 1 mRNA et the numbers of CD4 ⁺ lymphocytes," Proc. Natl. Acad. Sci. U.S.A. | | disease progression independently of |
| | 149 | Saksela et al., "High Viral Load in Lymph Nodes and Latent Hu Chimpanzees," J. Virol. 67: 7423-7427 (1993) | man Immunodeficiency Virus (HIV) in Peri | pheral Blood Cells of HIV-1 Infected |
| | 150 | Sambrook et al., Molecular Cloning: A Laboratory Manual, 2nd York (1989) | d ed., pp. 7.39-7.52, 9.31-9.58, 16.6-16.15, | Cold Spring Laboratory Press, New |
| | 151 | Samulski et al., "A Recombinant Plasmid from Which an Infecti Study Viral Replication," J. Virol. 61: 3096-3101 (1987) | ious Adeno-Associated Virus Genome Can E | Be Excised In Vitro and Its Use To |
| | 152 | Samulski et al., "Helper-Free Stocks of Recombinant Adeno-Ass J. Virol. 63: 3822-3828 (1989) | sociated Viruses: Normal Integration Does N | lot Require Viral Gene Expression," |
| | 153 | Sauerwald et al., "The 5'-Flanking Region of the Synapsin I Gen | e," J. Biol. Chem. 265: 14932-14937 (1990) | |
| | 154 | Schmid, "Alu: Structure, Origin, Evolution, Significance and Fu. (1996) | nction of One-Tenth of Human DNA," Prog | . Nucl. Acid Res. 53: 283-319 |
| | 155 | Schoepfer <i>et al.</i> , "Brain α-Bungarotoxin Binding Protein cDNAs Gene Superfamily," <i>Neuron</i> 5: 35-48 (1990) | s and MAbs Reveal Subtypes of This Branch | n of the Ligand-Gated Ion Channel |
| Examiner: | | | Date Considered: | |
| EXAMINER: | EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | |

| FORM PTO-1449 | | U.S. Department of Commerce | | | |
|---|-----|--|---|--|--|
| (Modified) Patent and Trademark Office | | | Attorney Docket No.: VARD-07989 | Serial No.: 10/723,940 | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | | | | |
| (Use Several Sheets If Necessary) | | | Applicant: Sherry Leonard et al. | | |
| (37 CFR § 1.98(b) |) | | Filing Date: 11/26/2003 | Group Art Unit: 1649 | |
| | | OTHER DOCUMENTS (Including Author, Title, D | ate, Relevant Pages, Place of Publication) | | |
| | 156 | Séguéla et al., "Molecular Cloning, Functional Properties, and E Calcium," J. Neurosci. 13: 596-604 (1993) | Distribution of Rat Brain α 7: A Nicotinic C | Cation Channel Highly Permeable to | |
| 1 | 157 | Sham et al., "Segregration analysis of complex phenotypes: an a 38 (1994) | pplication to schizophrenia and auditory P | 300 latency," Psychiat. Genet. 4: 29- | |
| | 158 | Siegel et al., "Deficits in Sensory Gating in Schizophrenic Patien Arch. Gen. Psychiat. 41: 607-612 (1984) | nts and Their Relatives, Evidence Obtained | d With Auditory Evoked Responses," | |
| | 159 | Silverman et al., "Evidence of a Locus for Schizophrenia and Re Med. Genet. 67: 162-171 (1996) | elated Disorders on the Short Arm of Chron | mosome 5 in a Large Pedigree," Am. | |
| | 60 | Sirota et al., "Schizophrenia and Marfan Syndrome," Br. J. Psyc | chiat. 157: 433-436 (1990) | | |
| 1 | 61 | Spitzer et al., "Research Diagnostic Criteria, Rationale and Relia | ability," Arch. Gen. Psychiat. 35: 773-782 | (1978) | |
| | 62 | Stratford-Perricaudet et al., "Widespread Long-term Gene Trans | fer to Mouse Skeletal Muscles and Heart," | J. Clin. Invest. 90: 626-630 (1992) | |
| 1 | 63 | Tsuang et al., "Long-term Outcome of Major Psychoses I. Schiz Surgical Conditions," Arch. Gen. Psychiat. 36: 1295-1301 (1975) | • | ed with Psychiatrically Symptom-Fre | |
| 1 | 64 | Tsuang et al., "Genotypes, Phenotypes, and the Brain, A Search | for Connections in Schizophrenia," Brit. J | . Psychiat. 163: 299-307 (1993) | |
| 1 | 165 | Uetsuki et al., "Isolation and Characterization of the Human Chromosomal Gene for Polypeptide Chain Elongation Factor-1\alpha," J. Biol. Che 264:5791 (1989) | | | |
| | 66 | Ulmer et al., "Heterologous Protection Against Influenza by Inje | ction of DNA Encoding a Viral Protein," S | Science 259: 1745-1748 (1993) | |
| 1 | 67 | Vinogradova et al., "Do Semantic Priming Effects Correlate with | h Sensory Gating in Schizophrenia," Biol. | Psychiat. 39: 821-824 (1996) | |
| 1 | 68 | Vinogradova, in The Hippocampus 2: Neurophysiology and Beh York (1975) | navior, Issacson and Pribram (eds.), pp. 3-6 | 69, Plenum Press, New York, New | |
| 1 | 69 | von Heijne, "A new method for predicting signal sequence cleav | age sites," Nuc. Acids Res. 14: 4683-4690 | (1986) | |
| 1 | 70 | Voss et al., "The role of enhancers in the regulation of cell-type- | specific transcriptional control," Trends Bi | iochem. Sci. 11:287-289 (1986) | |
| 1 | 71 | Wada et al., "Distribution of Alpha2, Alpha3, Alpha4, and Beta." A Hybridization Histochemical Study in the Rat," J. Compar. No. | • | RNAs in the Central Nervous System | |
| 1 | 72 | Waldo et al., "Codistribution of a Sensory Gating Deficit and Sc | hizophrenia in Multi-affected Families," P | Sychiat. Res. 39: 257-268 (1991) | |
| 1 | 73 | Waldo et al., "Auditory sensory gating, hipppocampal volume, a Res. 12: 93-106 (1991) | nd catecholamine metabolism in schizophi | renics and their siblings," Schizophr. | |
| | 74 | Wang et al., "Evidence for a susceptibility locus for schizophren | ia on chromosome 6pter-p22," Nature Ger | net. 10: 41-46 (1995) | |
| 1 | 75 | Williams <i>et al.</i> , "Introduction of foreign genes into tissues of livi 2726-2730 (1991) | ing mice by DNA-coated microprojectiles, | Proc. Natl. Acad. Sci. U.S.A. 88: | |
| 1 | 76 | Wilson et al., "Habituation of Human Limbic Neuronal Respons | e to Sensory Stimulation," Exp. Neurol. 84 | 1: 74-97 (1984) | |
| 1 | 77 | Wilson et al., "Hepatocyte-directed Gene Transfer in Vivo Leads Receptor-deficient Rabbits," J. Biol. Chem. 267: 963-967 (1992) | | sterolemia in Low Density Lipoprote | |
| 1 | 78 | Wonnacott, "α-Bungarotoxin Binds to Low-Affinity Nicotine Bi | nding Sites in Rat Brain," J. Neurochem. 4 | 1 7: 1706-1712 (1986) | |
| 1 | 79 | Wu and Wallace, "The Ligation Amplification Reaction (LAR) Amplification of Specific DNA Sequences Using Sequential Rounds of Template-Dependent Ligation," <i>Genomics</i> 4:560-569 (1989) | | | |
| 1 | 80 | Wu and Wu, "Receptor-mediated Gene Delivery and Expression | in Vivo," J. Biol. Chem. 263: 14621-1462 | 4 (1988) | |
| Examiner: | | | | | |

| FORM PTO-1 | 449 | U.S. Department of Commerce | | | | |
|---|---|---|---|--|--|--|
| (Modified) | | Patent and Trademark Office | Attomey Docket No.: VARD-07989 | Serial No.: 10/723,940 | | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | ION DISCLOSURE STATEMENT BY APPLICANT | | | | |
| | | (Use Several Sheets If Necessary) | Applicant: Sherry Leonard et al. | <u> </u> | | |
| (37 CFR § 1.9) | 8(b)) | | Filing Date: 11/26/2003 | Group Art Unit: 1649 | | |
| | | OTHER DOCUMENTS (Including Author, Title, D | ate, Relevant Pages, Place of Publication) | | | |
| | 181 | Wu and Wu, "Receptor-mediated in Vitro Gene Transformation | | | | |
| | 182 | Zhang et al., "Neuronal Acetylcholine Receptors That Bind α-B Neuron 12: 167-177 (1994) | ungarotoxin with High Affinity Function as | Ligand-Gated Ion Channels," | | |
| | 183 | Anand and Lindstrom, "Nucleotide sequence of the human nicol | tinic acetylcholine receptor β2 subunit gene | " Nuc. Acids Res. 18: 4272 (1990) | | |
| | 184 | Chini et al., "Molecular Cloning and Chromosomal Localization 379-381 (1994) | n of the Human ∝7-Nicotinic Receptor Subu | nit Gene (CHRNA7)," Genomics 19: | | |
| | 185 | Deneris et al., "Primary Structure and Expression of β2: A Nove (1988) | el Subunit of Neuronal Nicotinic Acetylchol | ine Receptors," Neuron 1: 45-54 | | |
| | 186 | Doucette-Stamm et al., "Cloning and Sequence of the Human or | 7 Nicotinic Acetylcholine Receptor," Drug I | Dev. Res. 30: 252-256 (1993) | | |
| | 187 | Fornasari et al., "Molecular cloning of human neuronal nicotinio | c receptor α3-subunit," Neurosci. Lett. 111: | 351-356 (1990) | | |
| | 188 | Fornasari et al., "Structural and Functional Characterization of t (1997) | he Human α3 Nicotinic Subunit Gene Prom | oter," Mol. Pharmacol. 51: 250-261 | | |
| | 189 | Garcia-Guzman et al., "α-Bungarotoxin-sensitive Nicotinic Recand Alternative Splicing of the α7 Subunit," Eur. J. Neuorosci. | | lar Cloning, Functional Expression | | |
| | 190 | GenBank Accession No. X70297 (1993) | | | | |
| | 191 | GenBank Accession No. Z58126 (1995) | | | | |
| | 192 | Breese et al., "Comparison of the Regional Expression of Nicoti Human Postmortem Brain," J. Comp. Neurol. 387: 385-398 (199 | | ^{[125} I]-α-bungarotoxin binding in | | |
| | 193 | Leonard et al., "Linkage of a chromosome 15 locus to a neuroph | ysiological deficit in schizophrenia," Am. J. | Human Genet. 59: A225 (1996) | | |
| | 194 | Leonard <i>et al.</i> , "Genomic Structure of the Human α7 Neuronal Nicotinic Acetylcholine Receptor Subunit," <i>Abstracts</i> , <i>Society for Neuroscience</i> , 27th Annual Meeting, October 25-30 (1997) | | | | |
| | 195 | Freedman <i>et al.</i> , "Linkage of a neurophysiological deficit in schizophrenia to a chromosome 15 locus," <i>Proc. Natl. Acad. Sci. U.S.A.</i> 94: 587-592 (1997) | | | | |
| | 196 | Logel et al., "Expression of High and Low Affinity Neuronal Nie Neuroscience, 27th Annual Meeting, October 25-30 (1997) | cotinic Receptors in Tissues of Neural Crest | Origin," Abstracts, Society for | | |
| | 197 | Breese et al., "Abnormal Regulation of High Affinity Nicotinic Annual Meeting, October 25-30 (1997) | Receptor Binding in Schizophrenics," Abstra | acts, Society for Neuroscience, 27th | | |
| | 198 | Gault et al., "Contig construction across the 15q14 schizophreni α7 nicotinic receptor," Am. J. Human Genet. 63: A249 (1998) | a linkage region and candidate gene charact | erization of the partially duplicated | | |
| | 199 | Leonard et al., "Additional evidence for a chromosome 15 locus initiative," Am. J. Human Genet. 63: A297 (1998) | in schizophrenia: Analysis of affected sibpa | airs from the NMH genetics | | |
| | 200 | Zetterström et al., "Polymorphisms at the Calcitonin/CGRP-α G Psychiatric Disease," Abstracts, Society for Neuroscience, 28th | <u> </u> | ations with Neurological or | | |
| | 201 | | | | | |
| | 202 | | | | | |
| " | 203 | Dudek et al., "Expression in Human Brain of Novel Exons Asso Abstracts, Society for Neuroscience, 28th Annual Meeting, Nov | | Neuronal Nicotinic Receptor," | | |
| | 204 | Breese et al., "Abnormal Regulation of the High Affinity Nicotin Annual Meeting, November 7-12 (1998) | nic Receptors in Schizophrenia," Abstracts, | Society for Neuroscience, 28th | | |
| | 205 | Lee et al., "The Effect of Nicotine and Haloperidol on High Affi Abstracts, Society for Neuroscience, 28th Annual Meeting, Nov | | Receptors in the Rat Brain," | | |
| Examiner: | | | Date Considered: | | | |
| EXAMINER: | EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | |

| FORM PTO-144 | 49 | U.S. Department of Commerce | | | | |
|-----------------|--------|--|--|-------------------------------------|--|--|
| (Modified) | | Patent and Trademark Office | Attomey Docket No.: VARD-07989 | Serial No.: 10/723,940 | | |
| INFO | ORMATI | ION DISCLOSURE STATEMENT BY APPLICANT | | | | |
| | | (Use Several Sheets If Necessary) | Applicant: Sherry Leonard et al. | | | |
| (37 CFR § 1.98(| (b)) | | Filing Date: 11/26/2003 | Group Art Unit: 1649 | | |
| | | OTHER DOCUMENTS (Including Author, Title, D | ate, Relevant Pages, Place of Publication) | | | |
| | 206 | Adler et al., "Schizophrenia, Sensory Gating, and Nicotinic Reco | eptors," Schizophrenia Bulletin 24: 189-202 | (1998) | | |
| | 207 | Leonard et al., "Further Investigation of a Chromosome 15 Locu Initiative," Am. J. Med. Genet. 81: 308-312 (1998) | s in Schizophrenia: Analysis of Affected Sil | ppairs From the NIMH Genetics | | |
| | 208 | Gault et al., "Genomic Organization and Partial Duplication of t Genomics 52: 173-185 (1998) | he Human α7 Neuronal Nicotinic Acetylcho | oline Receptor Gene (CHRNA7), | | |
| | 209 | Leonard et al., "Association of promoter variants in the alpha7 n schizophrenia," Arch Gen Psychiatry, 59:1085-1096 (2002) | icotinic acetylcholine receptor subunit gene | with an inhibitory deficit found in | | |
| | 210 | Gault et al., "Comparison of polymorphisms in the alpha7 nicoti subjects," Am J Med Genet B Neuropsychiatr Genet, 123:39-49 | | in schizophrenic and control | | |
| | 211 | Leonard, "Consequences of low levels of nicotinic acetylcholine 60:127-136 (2003) | receptors in schizophrenia for drug develop | ment, Drug Development Research, | | |
| | 212 | Mexal et al., Differential modulation of gene expression in the NMDA postsynaptic density of schizophrenic and control smokers," Mol Brain Res, 139:317-332 (2005) | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | • | | | , , | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Examiner: | | | Date Considered: | - | | |
| EXAMINER: | | | | | | |